

W 634 PREMIUM SERIES




# ADOPEN

Algerie

PVC PROFILE  
TECHNICAL SPECIFICATION





## TECHNICAL

### W 634 PREMIUM SERIES

**Profile Width:** 60 mm

**Number of chambers:** 4

**Profile Class:** C Class

**Seal Type:** External / Internal double seal system

**Seal Type and Color:** TPE - Grey /Black


**Glass Thickness (mm):** 4, 20, 24, 30, 32 mm

**The thermal insulation Uf:** 1,50 W/m<sup>2</sup>K


## INSTRUCTION

- The main profiles have 60 mm width.
- Because of the elastic grey and black seal which does not leave any stain on profiles will be provided maximum air, water, dust and sound isolation.
- Due to the 4 chambers profiles, it has maximum performance for thermal, sound and water isolation.
- Excluding normal sash profile there is also chance to have a choice for offset type sash profile.
- In addition to white profile a different laminated color range is available.
- 4-6 mm single glazing application of 20, 24, 30, 32 mm glazing beads give us alternatives of using double, triple glazing and panels.


# W 634 PREMIUM SERIES PVC PROFILE SYSTEM




Frame Profile  
634.1000




Dec. Sill Profile 42mm  
634.1200  
634.1200.PC (with Double Seal)




Sash Profile  
634.2000




Offset Type Sash Profile  
632.2200




Mullion Profile  
634.3000




Door Sash Profile  
634.2100




Outward Opening Door Sash Profile  
642.2101




Lap Joint Profile  
632.3104




4 mm Glazing Bead  
101.4002




20mm Decorative Glazing Bead  
101.4102



20mm Glazing Bead  
101.4100




24mm Decorative Glazing Bead  
101.4202




32mm Glazing Bead  
101.4500


# W 634 PREMIUM SERIES PVC PROFILE SYSTEM




Frame Montage Profile  
060.5301




Sill Profile (35mm)  
099.5523




Sill Profile (50mm)  
099.5524




Offset Profile  
900.6307




Sill Profile  
058.5504




Panel Profile  
099.5401




Large Coupling Profile  
060.5000




Universal Large Coupling Profile  
058.5000




Universal Large Coupling Profile  
058.5707




Universal Short Coupling Profile  
099.5004




60x100 Spiked Box Profile  
060.5203




Pipe Profile  
050.5106




Angle Pipe Adaptor Profile  
060.5104



60x100 Frame Lifting Profile  
900.5303




90° Corner Profile  
060.5100




135° Corner Profile  
060.5102


## W 634 Re-Inforcement Profiles




Frame, Sash, Mullion Profile Reinforcement  
34022-12046



Frame With Sill Profile Reinforcement  
34022-12032




Door Sash Profile Reinforcement  
34022-12023




Offset Type Sash Profile Reinforcement  
34022-12002


# W 634 PREMIUM SERIES PVC PROFILE SYSTEM




Frame - Mullion Static Reinforcement  
34022-15129




Outward Opening Mullion Profile Reinforcement  
34022-12109




Door Sash - Outward Opening Door Sash Profile Reinforcement  
34022-12013




Outward Opening Sash (9 Axis) Reinforcement  
34022-12022




Outward Opening Sash Profile Reinforcement  
34022-12020




Lap Joint Profile Reinforcement  
34022-12118



Corner Profile 90° Reinforcement  
34022-12302



Corner Profile 135° Reinforcement  
34022-12301




Pipe Profile Reinforcement  
34022-12503




Universal Large Coupling Profile Reinforcement  
34022-12123



Large Coupling Profile Reinforcement  
34022-12105




60x100 Spiked Box Profile Reinforcement  
34022-12102




60x100 Frame Lifting Profile Reinforcement  
34022-12120


## W 634 Installation




Frame - Sash Installation




Frame - Offset Type Sash Installation




Sash - Mullion Installation




Frame - Door Sash Installation




Frame - Outward Opening Door Sash Installation




Sash - Lap Joint - Sash Installation




Aluminium Threshold - Door Sash Installation




Narrow Coupling Profile Installation




Universal Large Coupling Profile Installation




Large Coupling Profile Installation



100mm Frame Lifting Profile Installation






60x100 Spiked Box Profile Installation





Corner And Pipe Profile Installation

# W 634 PREMIUM SERIES PVC PROFILE SYSTEM




## LAMINATED COLORS

				
DARK BLACK ST 520	DARK BLACK AS 520	SWAMP OAK ST 503	SAND GREY AS 509	SAND GREY ST 509
				
ANTRASIT GREY ST 508	ANTRASIT GREY AS 508	ANTRASIT GREY ST 516	GREY ST 507	SILVER SB 518
				
MAHOGANY ST 504	P. DARK OAK ST 541	P. GOLDEN OAK ST 540	NATURAL OAK HR 570	
				
SILVER TEAK SB 513	WHITE ST 517	LAKE BLUE ST 522 for Penwood	MOSS GREEN ST 521 for Penwood	







# 155x155mm SHUTTER BOXES




155x155mm Shutter Box Profile (Ext Insd Up)




155x155mm Shutter Bottom Box Profile




155x155mm Shutter External Box Profile




155x155mm Shutter Side Rail Profile




37' Shutter Blade




155x155 mm Corded Shutter Side Profile Left And Right Are Different)



155x155 mm Motorized Shutter Side Cover (Left And Right Are Different)



Shutter Small Roller



Shutter Big Roller

# ADOPEN

## Algerie

[adopen-algerie.com](http://adopen-algerie.com)

### **FACTORY**

SPA ADOPEN ALGERIE

Zone Industrielle Zaaroura N°417/418-14000 TIARET / ALGERIA

